



MODEL	PIC.	SPEC.		APPROVAL
EB61A(FAT Tyre bike)		4.0-26" wheel, 350W 8FUN middle motor, 36V11Ah Li-ion battery, Disc brake, Shimano 8-speed, max.speed @ 25km/h, max.range @ 70kms, LCD panel display; 90pcs/20'GP container; 190pcs/40'HQ container;		EN15194
HAWK		Fr.&Rr.120/70-12" Tubeless, 2,000W motor, Disc brake, 72V20Ah Gel battery, max.speed @ 45km/h,max.range @ 60kms; Max.13° slope hill-ability; 24pcs/20'GP; 50pcs/40'HQ;		EU4 EEC
HAWK-LI		Fr.&Rr.120/70-12" Tubeless, 2,000W motor, Disc brake, 72V20Ah Lithium battery (Portable), max.speed @ 50km/h,max.range @ 70kms; Max.13° slope hill-ability; 24pcs/20'GP; 50pcs/40'HQ;		EU4 EEC
HAWK-Plus		Fr.&Rr.120/70-12" Tubeless, 2,000W motor, Disc brake, 2*72V20Ah Lithium battery (Portable), max.speed @ 50km/h, max.range @ 100kms; Max.13° slope hill-ability; 24pcs/20'GP; 50pcs/40'HQ;		EU4 EEC
SD		Fr.&Rr.90/90-12" Tubeless, 2,000W motor, Disc brake, 72V30Ah Lithium battery , max.speed @ 50km/h, max.range @ 70kms; Max.15° slope hill-ability; 20pcs/20'GP; 72pcs/40'HQ;		
SMZY		Fr.&Rr.90/90-12" Tubeless, 2,000W motor, Disc brake, 72V28Ah Gel battery , max.speed @ 50km/h, max.range @ 70kms; Max.15° slope hill-ability; 20pcs/20'GP; 72pcs/40'HQ;		

EM78		<p>Fr.&Rr.120/70-12" Tubeless, 2,000W motor, Disc brake, 72V30Ah Lithium battery , max.speed @ 50km/h, max.range @ 70kms; Max.15° slope hill-ability; 20pcs/20'GP; 72pcs/40'HQ;</p>		
EM75A		<p>Fr.&Rr.2.75-17" , 1,500W motor, Disc brake, 72V30Ah Gel battery , max.speed @ 55km/h, max.range @ 70kms; Max.20° slope hill-ability; 20pcs/20'GP; 72pcs/40'HQ;</p>		
JAN11		<p>Fr.&Rr.120/70-12" Tubeless, 2,000W motor, Disc brake, 72V20Ah Gel battery, max.speed @ 45km/h, max.range @ 65kms; Max.13° slope hill-ability; 24pcs/20'GP; 50pcs/40'HQ;</p>		EU4 EEC
BIRD		<p>120/70-12" Tubeless, 2,000W motor, 72V30Ah Gel battery, max.speed @ 55km/h,max.range @70kms; Max.25° slope hill-ability;20pcs/20'GP container; 40pcs/40'HQ container;</p>		
LION		<p>Fr.2.75-12" / Rr.3.00-10"tyre size; 500W motor; 36V12Ah Gel battery; max.speed @ 30km/h;max.range @ 40kms; max.slope@12°;Container Loading:32PCS/20'GP; 105PCS/40HQ;</p>		CE
XJZS		<p>90/90-12"tyre;1,500W motor;60V20Ah Gel battery;max.speed @ 45km/h; max.range @ 60 kms; max.slope@13°; Container Loading:26PCS/20'GP; 84PCS/40HQ;</p>		

V5		90/90-12"tyre;1,500W motor;72V20Ah Gel battery;max.speed @ 50km/h; max.range @ 70 kms; max.slope@13 °;Container Loading:26PCS/20'GP; 84PCS/40HQ;		
Aguila 2000		FR.2.75-18"/ RR.110/90-16", 2,000W motor, 72V20Ah Gel battery, max.speed @55km/h, max.range @ 70 kms; max. 20° hill-ability;24PCS/20'GP; 78PCS/40HQ;		
DPX-2-POLICE		FR.110/70-17"/ RR.140/70-17", 3,000W motor, 72V40Ah Gel battery, max.speed @ 80km/h, max.range @ 80 kms; max. 25° hill-ability;18PCS/20'GP; 36PCS/40HQ;		
T9		130/60-13" tyre, 5,000W motor, 72V60Ah Lithium battery, max.speed @ 90km/h, max.range @ 90 kms; max. 30° hill-ability;18PCS/20'GP; 36PCS/40HQ;		
ET01		1,500W motor, 72V50Ah Gel battery, max.speed@ 30km/h, max.range@80kms; Max.20° slope hill-ability;15PCS/20'GP; 30PCS/40HQ;		EU3 EEC
MOQ		50pcs		
Leading time		40 days		
Payment terms				
Offer valid terms				